

SINGAPORE CIVIL DEFENCE FORCE FIRE SAFETY AND SHELTER DEPARTMENT

HQ SINGAPORE CIVIL DEFENCE FORCE
91 Ubi Avenue 4 Singapore 408827
Website: <http://www.scdf.gov.sg>



Please quote our ref. no. in all future correspondences

CD/FSSD/12/02/02/02/01

DID: 68481452

FAX: 68481490

3 Jan 2008

Fire Safety Engineers

Dear Sirs/Madam

FIRE SAFETY ENGINEERING DESIGNS INVOLVING STRUCTURAL SOLUTION

The building owner is required to engage a fire safety engineer (FSE) for the preparation of performance-based solutions as part of the plan submission to SCDF.

2. Arising from a query from a member of the FSSD Standing Committee, it is also to be noted that the FSE who endorses on the fire safety engineering design plan involving structural solution must also be a Professional Engineer (PE) in the structural engineering discipline.

3. This circular is also available for viewing in SCDF internet website – "http://www.scdf.gov.sg/Building_Professionals/Fire_Safety_Plan_Approval/performance/".

4. For enquiry or clarification, please contact the undersigned at DID 68481452 or Maj Lim Lam Kwang at DID 68481457.

Yours faithfully,

(Transmitted thru' e-mail)

Heng Chai Liang
Head, Performance-Based Plan Verification Section
Fire Safety and Shelter Department
for Commissioner
Singapore Civil Defence Force



A PROUD MEMBER OF THE HOME TEAM



SINGAPORE CIVIL DEFENCE FORCE FIRE SAFETY AND SHELTER DEPARTMENT

HQ SINGAPORE CIVIL DEFENCE FORCE
91 Ubi Avenue 4 Singapore 408827
Website: <http://www.scdf.gov.sg>



Please quote our ref. no. in all future correspondences

Page 1 of 1



ISO 9001 : 2000 Cert.No. : 2140

A PROUD MEMBER OF THE HOME TEAM

